



WHATSAPP / WECHAT: +86-189-3334-4236

## CONTACT US

佰蒂科技有限公司

**ELIKE TECHNOLOGY CO., LIMITED**

邮箱 / E-mail: [elike@elikelighting.com](mailto:elike@elikelighting.com)

网址 / Website: [www.elikelighting.com](http://www.elikelighting.com)

地址 / Address: 广东省中山市古镇曹兴东路88号首层

#88 East Caoxing Road, Guzhen Town, Zhongshan City, Guangdong, China.



## LED TRI-PROOF LAMP

PRODUCT CATALOG





XLS-OS-LED



XLS-GS-LED



XLS-GS-T8 Lamp Tube



XLS-7YP



XLS-XYP



XLS-3YP

**XLS-OS-LED (SMD LED Type) Info:**

Type	Specs	Size(mm)	Install R (mm)	Box Qty	Buckles
XLS-OS-50W	1500mm	1500*105*78	1500*105*78	6PCS	14
XLS-OS-40W	1200mm	1200*105*78	1200*105*78	8PCS	10
XLS-OS-20W	600mm	600*105*78	600*105*78	8PCS	6
XLS-OS-20W	1200mm	1200*68*78	1200*68*78	12PCS	10
XLS-OS-10W	600mm	600*68*78	600*68*78	12PCS	6

**XLS-GS-LED(SMD LED Type)info:**

Type	Specs	Size(mm)	Install R (mm)	Box Qty	Buckles
XLS-GS-40W	1200mm	1260*115*90	128.5*29*26.5	6PCS	10
XLS-GS-20W	600mm	656*115*90	68.5*29*26.5	6PCS	6
XLS-GS-20W	1200mm	1260*80*90	128.5*28.5*27	12PCS	10

**XLS-GS-LED (T8 Lamp Tube Type)Info:**

Type	Specs	Size(mm)	Install R (mm)	Box Qty	Buckles
XLS-GS-2X25W	2x25W	1560*115*90	159*27.5*25	8PCS	12
XLS-GS-1X25W	1x25W	1560*80*90	159*28.5*27	8PCS	12
XLS-GS-2X18W	2x18W	1260*115*90	128.5*27.5*25	8PCS	10
XLS-GS-1X18W	1x18W	1260*80*90	128.5*28.5*27	12PCS	10
XLS-GS-2X10W	2x10W	656*115*90	68.5*27.5*25	8PCS	6
XLS-GS-1X10W	1x10W	656*80*90	68.5*28.5*27	12PCS	6

**XLS-7YP Info:**

Type	T8 Lamp Tube	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-7YP-10W	1x10W T8 G13	6pcs	663x96x95x400mm	10pcs	680X200X340mm
XLS-7YP-18W	1x18W T8 G13	10pcs	1263x96x95x900mm	8pcs	1290X200X280mm
XLS-7YP-25W	1x25W T8 G13	12pcs	1563x96x95x980mm	8pcs	1590X200X280mm
XLS-7YP-2x10	2x10W T8 G13	6pcs	663x145x95x400mm	8pcs	680X300X280mm
WXLS-7YP-2x18W	2x18W T8 G13	10pcs	1263x145x95x900mm	6pcs	1290X300X215mm
XLS-7YP-2x25W	2x25W T8 G13	12pcs	1563x145x95x980mm	6pcs	1590X300X215mm

**XLS-XYP Info:**

Type	T8 Lamp Tube	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-XYP-10W	1x10W T8LED G13	6pcs	655x75x86x400mm	15pcs	680X235X340mm
XLS-XYP-18W	1x18W T8LED G13	10pcs	1265x75x86x900mm	9pcs	1290X235X210mm
XLS-XYP-25W	1x25W T8LED G13	12pcs	1565x75x86x980mm	9pcs	1590X235X210mm
XLS-XYP-2x10W	2x10W T8LED G13	6pcs	655x113x86x400mm	10pcs	680X240X340mm
XLS-XYP-2x18W	2x18W T8LED G13	10pcs	1265x113x86x900mm	6pcs	1290X240X210mm
XLS-XYP-2x25W	2x25W T8LED G13	12pcs	1565x113x86x980mm	6pcs	1590X240X210mm

**XLS-3YP Info:**

Type	T8 Lamp Tube	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-3YP-10W	1X10W T8 G13	4pcs	670x105x107x460mm	10pcs	695x225x370mm
XLS-3YP-18W	1X18W T8 G13	8pcs	1270x105x107x890mm	6pcs	1295x225x230mm
XLS-3YP-25W	1X25W T8G13	10pcs	1570x105x107x950mm	6pcs	1595x225x230mm
XLS-3YP-2x10W	2X10W T8 G13	4pcs	670x165x107x460mm	8pcs	695x345x300mm
XLS-3YP-2x18W	2X18W T8 G13	8pcs	1270x165x107x890mm	4pcs	1295x180x300mm
XLS-3YP-2x25W	2X25W T8 G13	10pcs	1570x165x107x950mm	4pcs	1595x180x300mm





XLS-GYP



XLS-6YP



XLS-WTB

**XLS-GYP (SMD LED Type) Info:**

Type	Specs	LED bead Qty	Install R (mm)	Box Qty	Install R (mm)
XLS-GYP-18W	18W	96pcs	580x75x66x290mm	12pcs	600x255x300mm
XLS-GYP-36W	36W	192pcs	1180x75x66x760mm	9pcs	600x255x300mm
XLS-GYP-50W	50W	256pcs	1480x75x66x1060mm	9pcs	1500x255x230mm
XLS-GYP-18W	18W	168pcs	580x75x66x290mm	12pcs	600x255x300mm
XLS-GYP-36W	36W	297pcs	1180x75x66x760mm	9pcs	1200x255x230mm
XLS-GYP-50W	50W	405pcs	1480x75x66x1060mm	9pcs	1500x255x230mm
XLS-GYP-25W	25W	128pcs	580x95x77x230mm	8pcs	600x215x345mm
XLS-GYP-50W	50W	256pcs	1180x95x77x800mm	6pcs	1200x215x260mm
XLS-GYP-60W	60W	318pcs	1480x95x77x1100mm	6pcs	1500x215x260mm
XLS-GYP-25W	25W	224pcs	580x95x77x230mm	8pcs	600x215x345mm
XLS-GYP-50W	50W	405pcs	1180x95x77x800mm	6pcs	1200x215x260mm
XLS-GYP-60W	60W	513pcs	1480x95x77x1100mm	6pcs	1200x215x260mm

**XLS-6YP (T8 Lamp Tube Type) Info:**

Type	Specs	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-6YP-1x18W	1X18W T8 G13	6pcs	663x86x90x400mm	12pcs	685x285x270mm
XLS-6YP-1x36W	1X36W T8 G13	10pcs	1265x86x90x900mm	9pcs	1295x285x220mm
XLS-6YP-1x58W	1X58W T8 G13	12pcs	1565x86x90x1000mm	9pcs	1595x285x220mm
XLS-6YP-2x18W	2X18W T8 G13	6pcs	663x124x90x400mm	8pcs	685x270x270mm
XLS-6YP-2x36W	2X36W T8 G13	10pcs	1265x124x90x900mm	6pcs	1295x270x220mm
XLS-6YP-2x58W	2X58W T8 G13	12pcs	1565x124x90x1000mm	6pcs	1595x270x220mm

**XLS-WTB (T8 Lamp Tube Type) Info:**

Type	Specs	Size(L*W*H*LF)	Install R (mm)	Box Qty
XLS-WTB-10W	1*10W	680x70x63	705x320x240	15PCS
XLS-WTB-20W	2*10W	660x112x63	690x320x250	10PCS
XLS-WTB-20W	1*20W	1280x70x63	1305x320x240	15PCS
XLS-WTB-40W	2*20W	1260x112x63	1290x320x250	10PCS
XLS-WTB-25W	1*25W	1580x70x63	1605x320x240	15PCS
XLS-WTB-50W	2*25W	1560x112x63	1590x320x250	10PCS



XLS-XYP



XLS-6YP



XLS-5YP

**XLS-XYP (SMD LED Type) Info:**

Type	Specs	LED Bead Qty	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-XYP-9W	9W	48pcs	6pcs	655x75x86x400mm	9pcs	685x255x285mm
XLS-XYP-18W	18W	96pcs	10pcs	1265x75x86x900mm	9pcs	1285x255x285mm
XLS-XYP-25W	25W	128pcs	12pcs	1565x75x86x980mm	9pcs	1285x255x285mm
XLS-XYP-9W	9W	84pcs	6pcs	655x75x86x400mm	9pcs	685x255x285mm
XLS-XYP-18W	18W	168pcs	10pcs	1265x75x86x900mm	9pcs	1285x255x285mm
XLS-XYP-25W	25W	224pcs	12pcs	1565x75x86x980mm	9pcs	1285x255x285mm
XLS-XYP-18W	18W	96pcs	6pcs	655x113x86x400mm	8pcs	685x250x370mm
XLS-XYP-36W	36W	192pcs	10pcs	1265x113x86x900mm	6pcs	1285x250x285mm
XLS-XYP-50W	50W	256pcs	12pcs	1565x113x86x980mm	6pcs	1585x250x285mm
XLS-XYP-60W	60W	318pcs	12pcs	1565x113x86x980mm	6pcs	1585x250x285mm
XLS-XYP-18W	18W	168pcs	6pcs	655x113x86x400mm	8pcs	685x250x370mm
XLS-XYP-36W	36W	297pcs	10pcs	1265x113x86x900mm	6pcs	1285x250x285mm
XLS-XYP-50W	50W	405pcs	12pcs	1565x113x86x980mm	6pcs	1585x250x285mm
XLS-XYP-60W	60W	513pcs	12pcs	1565x113x86x980mm	6pcs	1585x250x285mm

**XLS-6YP (SMD LED Type) Info:**

Type	Specs	LED Bead Qty	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-6YP-9W	9W	48pcs	6pcs	663x86x90x400mm	9pcs	680x290x300mm
XLS-6YP-18W	18W	84pcs	10pcs	1265x86x90x900mm	6pcs	1290x200x300mm
XLS-6YP-25W	25W	126pcs	12pcs	1565x86x90x1000mm	6pcs	1590x200x300mm
XLS-6YP-18W	18W	84pcs	6pcs	663x124x90x400mm	8pcs	680x270x390mm
XLS-6YP-36W	36W	168pcs	10pcs	1265x124x90x900mm	6pcs	1290x270x300mm
XLS-6YP-50W	50W	252pcs	12pcs	1565x124x90x1000mm	6pcs	1590x270x300mm

**XLS-5YP (T8 Lamp Tube Type) Info:**

Type	Specs	Buckles	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-5YP-10W	1X10W T8 G13	4pcs	660x85x94x460mm	12pcs	685x270x288mm
XLS-5YP-18W	1X18W T8 G13	8pcs	1270x85x94x850mm	9pcs	1295x270x220mm
XLS-5YP-25W	1X25W T8 G13	12pcs	1570x85x94x960mm	6pcs	1595x205x220mm
XLS-5YP-2x18W	2X18W T8 G13	4pcs	660x125x94x460mm	9pcs	685x390x220mm
XLS-5YP-2x36W	2X36W T8 G13	8pcs	1270x125x94x850mm	6pcs	1295x265x220mm
XLS-5YP-2x36	2X36W T8 G13	12pcs	1570x125x94x960mm	6pcs	1595x285x220mm





XLS-KYP



XLS-436-Four T8 Lamp Tube



XLS-0.3M

**XLS-KYP (SMD LED Type) Info:**

Type	Power	LED Bead Qty	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-KYP-18W	18W	96pcs	675x70x80x410mm	12pcs	690x240x355mm
XLS-KYP-36W	36W	192pcs	1275x70x80x900mm	9pcs	1290x240x270mm
XLS-KYP-50W	50W	256pcs	1575x70x80x1200mm	9pcs	1590x240x270mm
XLS-KYP-18W	18W	150pcs	675x70x80x410mm	12pcs	690x240x355mm
XLS-KYP-36W	36W	280pcs	1275x70x80x900mm	9pcs	1290x240x270mm
XLS-KYP-50W	50W	384pcs	1575x70x80x1200mm	9pcs	1590x240x270mm
XLS-KYP-25W	25W	128pcs	675x100x80x410mm	8pcs	690x225x355mm
XLS-KYP-50W	50W	256pcs	1275x100x80x900mm	6pcs	1290x225x270mm
XLS-KYP-60W	60W	318pcs	1575x95x77x1100mm	6pcs	1590x225x270mm
XLS-KYP-25W	25W	192pcs	675x100x80x410mm	8pcs	690x225x355mm
XLS-KYP-50W	50W	384pcs	1275x100x80x900mm	6pcs	1290x225x270mm
XLS-KYP-60W	60W	456pcs	1575x100x80x1200mm	6pcs	1590x225x270mm

**XLS-436-(Four T8 Lamp Tube) Info:**

Type	Buckles	T8 Lamp Tube	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-436	10pcs	4x18WT8 LED G13	1265x180x105x900mm	4pcs	1290x195x295mm

**XLS-0.3M (SMD LED Type) Info:**

Type	Buckles	Specs	Size(L*W*H*LF)	Box Qty	Install R (mm)
XLS-0.3	4pcs	5-10W-LED	300x105x85mm	12pcs	635x235x285mm



XLS-NBT



XLS-EBT (Yellow)



XLS-EBT (Gray)

**XLS-NBT (SMD LED Type) Info:**

Type	Specs	Size (mm)	Install Dime	LED Bead Qty	Install R (mm)	Box Qty
XLS-NBT-20W	2x10W	600*86*77	370	LED 2835 108PCS	63x28x25.5	9
XLS-NBT-28W	2x14W	600*86*77	370	LED 2835 126PCS	63x28x25.5	9
XLS-NBT-40W	2x20W	1200*86*77	860	LED 2835 216PCS	123x28x25.5	9
XLS-NBT-48W	2x24W	1200*86*77	860	LED 2835 264PCS	123x28x25.5	9
XLS-NBT-52W	2x26W	1500*86*77	960	LED 2835 288PCS	153x28x25.5	9
XLS-NBT-60W	2x30W	1500*86*77	960	LED 2835 312PCS	153x28x25.5	9



**XLS-EBT (Yellow) SMD LED Type Info:**

Type	Specs	Size (mm)	Install Dime	LED Bead Qty	Install R (mm)	Box Qty
XLS-EBT-10W	1x10W	656*85*78	360	LED 2835 60PCS	68x19x43	10
XLS-EBT-20W	2x10W	656*85*120	360	LED 2835 120PCS	68x19x43	10
XLS-EBT-20W	1x20W	1266*78*85	860	LED 2835 108PCS	129x19x26.5	6
XLS-EBT-40W	2x20W	1266*78*120	860	LED 2835 216PCS	129x26.5x26	6
XLS-EBT-26W	1x26W	1570*78*85	960	LED 2835 144PCS	159x19x26.5	6
XLS-EBT-52W	2x26W	1570*78*120	960	LED 2835 288PCS	159x26.5x26	6

**XLS-EBT (Gray) SMD LED Type Info:**

Type	Specs	Size (mm)	Install Dime	LED Bead Qty	Install R (mm)	Box Qty
XLS-EBT-10W	1x10W	656*85*78	360	LED 2835 60PCS	68x19x43	10
XLS-EBT-20W	2x10W	656*120*78	360	LED 2835 120PCS	68x25.5x43	10
XLS-EBT-20W	1x20W	1266*85*78	860	LED 2835 108PCS	129x19x26.5	6
XLS-EBT-40W	2x20W	1266*120*78	860	LED 2835 216PCS	129x26.5x26	6
XLS-EBT-26W	1x26W	1570*85*78	960	LED 2835 144PCS	159x19x26.5	6
XLS-EBT-52W	2x26W	1570*120*78	960	LED 2835 288PCS	159x26.5x26	6





XLS-EBT-G



XLS-KBT



XLS-FBT



XLS-FSZ



XLS-FSK



XLS-WK

**XLS-EBT-G (SMD LED Type) Info:**

Type	Specs	Size (mm)	Install Dime	LED Bead Qty	Install R (mm)	Box Qty
XLS-EBT-G-10W	1x10W	656*85*88	360	LED 2835 60PCS	68x27x28	9
XLS-EBT-G-20W	2x10W	656*120*88	360	LED 2835 120PCS	68x26x28.5	6
XLS-EBT-G-20W	1x20W	1266*85*88	860	LED 2835 108PCS	129x19x28.5	6
XLS-EBT-G-40W	2x20W	1266*120*88	860	LED 2835 216PCS	129x26x28.5	6
XLS-EBT-G-25W	1x25W	1570*85*88	960	LED 2835 144PCS	159x19x28.5	6
XLS-EBT-G-50W	2x25W	1570*120*88	960	LED 2835 144PCS	159x26x28.5	6

**XLS-KBT (SMD LED Type) Info:**

Type	Specs	Size (mm)	Install Dime	LED Bead Qty	Install R (mm)	Box Qty
XLS-KBT-10W	1x10W	660*85*80	360	LED 2835 60PCS	68x19x26	6
XLS-KBT-20W	2x10W	660*125*80	360	LED 2835 120PCS	68x26x26	6
XLS-KBT-20W	1x20W	1270*85*80	860	LED 2835 108PCS	129x19x26	6
XLS-KBT-40W	2x20W	1270*125*80	860	LED 2835 216PCS	129x26x26	6
XLS-KBT-25W	1x25W	1565*85*80	960	LED 2835 144PCS	159x19x26	6
XLS-KBT-50W	2x25W	1565*125*80	960	LED 2835 288PCS	159x26x26	6

**XLS-FBT (T8 Lamp Tube Type) Info:**

Type	Specs	Size (mm)	Install Dime	Specs	Install R (mm)	Box Qty
XLS-FBT-10W	1X10W	690*145*100	500	T8/G13	77.5x18x14.5	1
XLS-FBT-20W	2x10W	690*210*100	500	T8/G13	77.5x24.5x14.5	1
XLS-FBT-20W	1x20W	1290*145*100	950	T8/G13	137.5x18x14.5	1
XLS-FBT-40W	2x20W	1290*210*100	950	T8/G13	137.5x24.5x14.5	1
XLS-FBT-25W	1x25W	1590*145*100	1010	T8/G13	167x18x14.5	1
XLS-FBT-50W	2x25W	1590*145*100	1010	T8/G13	167x24.5x14.5	1

**XLS-FSZ (SMD LED Type) Info:**

Type	Power	Input Voltage (V)	Luminous Flux(LM)	CRI	CT (K)	Size (L*W*H)
XLS-FSZ-10W	10-20W	AC220-240	2000	>80	2700-6500	605x83x75
XLS-FSZ-40W	40-50W	AC220-240	4000	>80	2700-6500	1205x83x75
XLS-FSZ-50W	50-60W	AC220-240	6000	>80	2700-6500	1505x83x75

**XLS-FSK (SMD LED Type) Info:**

Type	Power	Input Voltage (V)	Luminous Flux(LM)	CRI	CT (K)	Size (L*W*H)
XLS-FSK-10W	10-20W	AC220-240	2000	>80	2700-6500	605x95x81
XLS-FSK-40W	40-50W	AC220-240	4000	>80	2700-6500	1205x95x81
XLS-FSK-50W	50-60W	AC220-240	6000	>80	2700-6500	1205x95x81

**XLS-WK (SMD LED Type) Info:**

Type	Power	Input Voltage (V)	Luminous Flux(LM)	CRI	CT (K)	Size (L*W*H)
XLS-WK-10W	10W	AC220-240	1000	>80	2700-6500	590x65x71
XLS-WK-20W	20W	AC220-240	2000	>80	2700-6500	1190x65x71
XLS-WK-20W	20W	AC220-240	2000	>80	2700-6500	590x84x71
XLS-WK-40W	40W	AC220-240	4000	>80	2700-6500	1190x84x71
XLS-WK-50W	50W	AC220-240	5000	>80	2700-6500	1490x65x71
XLS-WK-60W	60W	AC220-240	6000	>80	2700-6500	1490x84x71



## LED Explosion-proof, Corrosion-resistant Fluorescent Lamp



T8/2\*18W

Dimensions: 1380\*210\*120mm  
Hole Spacing: 800\*95mm



T8/2\*10W

Dimensions: 800\*210\*120mm  
Hole Spacing: 642\*95mm



T8/2\*18W

Dimensions: 1380x195x110mm  
Hole Spacing: 800x95mm



T8/2\*10W

Dimensions: 800\*195\*110mm  
Hole Spacing: 550\*95mm



T8/2\*18W

Dimensions: 1380\*180\*120mm  
Hole Spacing: 800\*70mm



T8/2\*10W

Dimensions: 800\*180\*120mm  
Hole Spacing: 500\*70mm

## LED Tri-proof Ceiling Lamp



XLS102DH106



XLS102DH106



XLS106DH106

### XLS102DH106 Info:

Type	XLS102DH106	XLS102DH206	XLS102DH306
Input Voltage (V)	100~277V	100~277V	100~277V
Input Power (W)	15W	20W	20W
LED Beads	2835	2835	2835
Shell Material	ABS+PC	ABS+PC	ABS+PC
Power Factor	>0.9	>0.9	>0.9
Luminous Flux (LM)	1600Lm	2200Lm	3300Lm
Dimension (mm)	φ330*100mm	φ330*100mm	φ330*100mm

### XLS102DH106 Info:

Type	XLS102DH106	XLS102DH206	XLS102DH306
Input Voltage (V)	100~277V	100~277V	100~277V
Input Power (W)	15W	20W	30W
LED Beads	2835	2835	2835
Shell Material	ABS+PC	ABS+PC	ABS+PC
Power Factor	>0.9	>0.9	>0.9
Luminous Flux (LM)	1600Lm	2200Lm	3300Lm
Dimension (mm)	φ330*100mm	φ330*100mm	φ330*100mm

### XLS102DH106 Info:

Type	XLS106DH106	XLS106DH206
Input Voltage (V)	100~277V	100~277V
Input Power (W)	15W	20W
LED Beads	2835	2835
Shell Material	ABS+PC	ABS+PC
Power Factor	>0.9	>0.9
Luminous Flux (LM)	1600Lm	3300Lm
Dimension (mm)	φ275*90mm	φ275*90mm



### LED Tri-proof Ceiling Lamp



XLS125DH206



XLS126DH106



XLS127DH106

#### XLS125DH206 Info:

Type	XLS125DH206	XLS125DH106
Input Voltage (V)	100~277V	100~277V
Input Power (W)	40W	30W
LED Beads	2835	2835
Shell Material	PC	PC
Power Factor	>0.9	>0.9
Luminous Flux (LM)	4400Lm	3300Lm
Dimension (mm)	φ355*100mm	φ355*100mm

#### XLS126DH106 Info:

Type	XLS126DH106	XLS126DH206
Input Voltage (V)	100~277V	100~277V
Input Power (W)	20W	30W
LED Beads	2835	2835
Shell Material	PC	PC
Power Factor	>0.9	>0.9
Luminous Flux (LM)	2200Lm	3300Lm
Dimension (mm)	φ300*100mm	φ300*100mm

#### XLS126DH106 Info:

Type	XLS127DH106	XLS127DH206
Input Voltage (V)	100~277V	100~277V
Input Power (W)	15W	20W
LED Beads	2835	2835
Shell Material	PC	PC
Power Factor	>0.9	>0.9
Luminous Flux (LM)	1600Lm	2200Lm
Dimension (mm)	φ265*100mm	φ265*100mm



XLS-YTH1



XLS-YTH2



XLS-YTH3

#### XLS-YTH1(SMD LED Type) Info:

Type	Power	Input Voltage(V)	Luminous Flux (LM)	CRI	CT(k)	Size(L*W*H)
XLS-YTH1-10W	10W	AC220-240	2000	>80	2700-6500	520*53*35
XLS-YTH1-20W	20W	AC220-240	3000	>80	2700-6500	820*53*35
XLS-YTH1-36W	36W	AC220-240	40000	>80	2700-6500	1120*53*35
XLS-YTH1-50W	50W	AC220-240	50000	>80	2700-6500	1420*53*35

#### XLS-YTH2 (SMD LED Type) Info:

Type	Power	Input Voltage(V)	Luminous Flux (LM)	CRI	CT(k)	Size(L*W*H)
XLS-YTH1-10W	10W	AC220-240	2000	>80	2700-6500	520*68*43
XLS-YTH1-20W	20W	AC220-240	3000	>80	2700-6500	820*68*43
XLS-YTH1-30W	30W	AC220-240	40000	>80	2700-6500	1120*68*43
XLS-YTH1-40W	40W	AC220-240	50000	>80	2700-6500	1420*68*43

#### XLS-YTH3 (SMD LED Type) Info:

Type	Power	Input Voltage(V)	Luminous Flux (LM)	CRI	CT(k)	Size(L*W*H)
XLS-YTH3-20W	10-20W	AC220-240	2000	>80	2700-6500	580*62*56
XLS-YTH3-30W	20-30W	AC220-240	3000	>80	2700-6500	880*62*56
XLS-YTH3-40W	30-40W	AC220-240	4000	>80	2700-6500	1180*62*56
XLS-YTH3-50W	40-50W	AC220-240	5000	>80	2700-6500	1480*62*56